

PVC Drain, Waste & Vent (DWV) Pipe SCJ

PVC DWV pipe with solvent cement joints (SCJ)
DN40 to DN300 manufactured to AS/NZS 1260

Vinidex prides itself on using only the best quality raw materials when manufacturing DWV pipe systems. The economic advantages of Vinidex DWV pipes and fittings, combined with their light weight, ease of installation and reliable performance, makes PVC-U the material of choice for DWV applications in Australia.

PART OF THE PVC DRAIN, WASTE & VENT SYSTEMS RANGE

- Manufactured in Australia
- Stiffness classifications SN4, SN6, SN8, SN10, SN16
- Solvent cement joint
- Available in 3m and 6m effective lengths
- Light weight and easy to handle
- Suitable for aggressive or saline soils
- Range of compatible [PVC fittings](#) available



Applications

- Non-pressure sewer, drain, waste and vent pipe systems
- Above ground plumbing and drainage in buildings
- Below ground sewerage and drainage in buildings and infrastructure

Technical Data

Size Range	DN40 – DN300
Manufacturing Standard	AS/NZS 1260
License Number	SMKP1010 , SMKP1014 , SMKP1075 , SMKP1079 (SAI Global)
Best Environmental Practice	BEP-PVC 570
Quality Management System	ISO 9001
Certificate Number	QEC0570 (SAI Global)

ITEM	DESCRIPTION
Pipe material	PVC-U
Colour	Grey
Joint type	Solvent cement
Solvent cement type	Type N (blue)





Dimensions

Nominal Diameter DN	Stiffness SN	Outside Diameter		Tmean (mm)	ID (mm)
		Dm min (mm)	Dm max (mm)		
40*	-	42.8	43.1	2.0	39.0
50*	-	55.7	56.0	2.2	51.5
65*	-	68.7	69.1	2.7	63.5
80*	-	82.3	82.7	2.9	76.7
100	6	110.0	110.4	Dimensions will vary depending on pipe wall construction. Refer to local product specification.	
100	10	110.0	110.4		
150	4	160.0	160.5		
150	8	160.0	160.5		
225	4	250.0	250.7		
225	8	250.0	250.7		
225	16	250.0	250.7		
300	4	315.0	315.9		
300	8	315.0	315.9		

* Plain pipe (no socket)

Product Range

DWV Plain Pipe

Vinidex Code	Nominal Diameter DN	Length L (m)	Length L1 (mm)	Min. Quantity	Crate Quantity
20230	40	6	27	1	147
20260	50	6	30	1	117
20266	50	5		1	
20280	65	6	38	1	160
20310	80	6	44	1	122

DWV SCJ Pipe

Vinidex Code	Nominal Diameter DN	Stiffness Class	Length L (m)	Length L1 (mm)	Min. Quantity	Crate Quantity
18000	100	SN6	6	55	1	67
18005	100	SN10	6	55	1	67
19070	150	SN4	6	80	1	26
18120	150	SN8	3	80	1	28
18110	150	SN8	6	80	1	26
19140	225	SN4	6	125	1	12
19141	225	SN16	3		1	12
19180	225	SN8	6	125	1	12
19200	225	SN8	3	125	1	12
19210	300	SN4	6	175	1	6
19250	300	SN8	6	175	1	6
19258	300	SN8	3	175	1	6
19255	300	SN8	6	175	1	6